

AGF_70000_UL.pdf

AGF_70000_FM.pdf

**VQDI.EX4533**
Valves, System Pressure Relief[Page Bottom](#)

Valves, System Pressure Relief[See General Information for Valves, System Pressure Relief](#)**AGF MANUFACTURING INC**
100 QUAKER LN
MALVERN, PA 19355 USA

EX4533

Model 7000 pressure relief valve, 1/2 in. inlet pipe size, for a set pressure rating of 175 psig. With a relief set point of 175 psig and an inlet pressure of 175 psig, the nominal flow rate is 0.11 gpm.

Model 7200 pressure relief valve, 3/4 in. inlet pipe size, for a set pressure rating of 175 psig with a maximum pressure rating of 175 psig.

[Last Updated](#) on 2007-08-16

[Questions?](#)[Print this page](#)[Terms of Use](#)[Page Top](#)

© 2013 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the [UL Environment database](#) for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2013 UL LLC".

Trim Water Pressure Relief Valves (Fixed)

A trim water pressure relief valve is a small valve designed to relieve pressure build-up in a sprinkler system or in valve trim. It is open to a drain line. Unless otherwise specified, rated working pressure is 175 psi (1205 kPa) and factory set pressure is 175 psi (1205 kPa).

Model M7000, Model M7200

<i>Product Designation</i>	<i>Nominal Pipe Size, in. NPT</i>	<i>Pressure Rating psi (kPa)</i>	<i>Remarks</i>
Model M7000	1/2	175 (1205)	-
Model M7200	3/4	175 (1205)	-

Company Name:	AGF Manufacturing Inc
Company Address:	100 Quaker Lane, Malvern, Pennsylvania 19355, USA
Company Website:	http://www.testandrain.com
New/Updated Product Listing:	No
Listing Country:	United States of America
Certification Type:	FM Approved