

## Hose Valves

Hose valves of 1 1/2 in. (38 mm) may be used on connections from sprinkler systems; 2 1/2 in. (64 mm) valves are used on hose standpipes and fire pump headers. For pressures above 175 psi (1205 kPa), an appropriate pressure reducing device shall be used.

### Hose Valves, Straightway

#### Fig. A53

Fig. A53. 2 1/2, 3 in. (64, 76 mm). 300 psi (2070 kPa).

<b>Company Name:</b>	Giacomini SpA
<b>Company Address:</b>	Strada Per Alzo 39, 28017 S Maurizio d'Opaglio, Italy
<b>Company Website:</b>	<a href="http://www.giacomini.com">http://www.giacomini.com</a>
<b>Listing Country:</b>	Italy
<b>Certification Type:</b>	FM Approved



## VTSR.EX2964 Hose Valves

[Page Bottom](#)

---

### Hose Valves

[See General Information for Hose Valves](#)

#### GIACOMINI SPA

EX2964

VIA PER ALZO 39  
28017 S MAURIZIO D'OPAGLIO, NOVARA ITALY

**Angle type**, Models A55 , A56 , 1-1/2, 2-1/2 in. sizes for 300 psi working pressure.

**Gate type**, Models A53, -G , 2-1/2 in. size for 300 psi working pressure.



Trademark and/or Tradename:

[Last Updated](#) on 1992-09-09

---

[Questions?](#)

[Notice of Disclaimer](#)

[Page Top](#)

[Copyright © 2009 Underwriters Laboratories Inc.®](#)

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from Underwriters Laboratories Inc." must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "Copyright © 2009 Underwriters Laboratories Inc.®"

An independent organization working for a safer world with integrity, precision and knowledge.

